

Emergency Showers



Douches pour les yeux et le visage en acier Stainlessydale

822 3569



Douche yeux et visage, montage sur table

Pressure: 2,4-7 bar
Flow: 26 lit/min
Connection: DN15

792 3648



Douche yeux et visage, montage mural

Pressure: 2,4-7 bar
Flow: 20 lit/min
Connection: DN15
Valve: Stainless 1.4404



792 3639

Douche yeux et visage, montage mural

Pressure: 2,4-7 bar
Flow: 20 lit/min
Connection: DN15
Valve: Stainless 1.4404
Ecoulement: DN32

792 3643



Douche yeux, montage mural

Pressure: 2,4-7 bar
Flow: 10 lit/min
Connection: DN15
Ecoulement: DN32
Valve: Stainless 1.4404

822 3704



Douche yeux et visage, montage avec vanne hors-gel

Pressure: 2,4-7 bar
Flow: 26 lit/min
Connection: DN15
Valve: Stainless 1.4404

Douches pour le corps en acier Stainlessydale

795 7915



Body shower, horizontal connection

Pressure: 2,4-7 bar
Flow: 76 lit/min
Connection: DN20
Valve: Stainless 1.4404
Shower head: Acetal

Outdoor body shower, with indoor freeze safe valve

Pressure: 2,4-7 bar
Flow: 76 lit/min
Connection: DN20
Valve: Stainless 1.4404

822 3720



795 7916



Body shower, vertical connection

Pressure: 2,4-7 bar
Flow: 76 lit/min
Connection: DN20
Valve: Stainless 1.4404
Shower head: Acetal

795 7914



Body shower, floor mounted

Pressure: 2,4-7 bar
Flow: 76 lit/min
Connection: DN25
Valve: Stainless 1.4404
Shower head: Acetal

795 7913



Hand shower

Pressure: 2,4-7 bar
Flow: 20 lit/min
Connection: DN15

Douches combinées en acier Stainlessydale

797 6172



797 6168

Combined body, eye and face shower with security temperature mixer for eye-and face-wash

Pressure: 2,4-7 bar
Flow: 20 + 76 lit/min
Connection: DN25
Valve: Stainless 1.4404
Drain: DN25

797 6173



797 6169



Combined body, eye and face shower

Pressure: 2,4-7 bar
Flow: 20 + 76 lit/min
Connection: DN25
Valve: Stainless 1.4404
Drain: DN25

795 7917



Combined body, eye and face shower, insulated, heated

Pressure: 2,4-7 bar
Flow: 26 + 76 lit/min
Connection: DN25
Valve: Stainless 1.4404

Mitigeurs de sécurité

Douches encastrées de laboratoire



755 9750

Security mixer
GIA-15

Flow: 30 lit/min
Connection: DN15



799 7551

Security mixer

Flow: 9 - 120 lit/min
Connection: DN25



755 9738

Security mixer

Flow: 9 - 120 lit/min
Connection: DN20



755 9752

Security mixer
Navigator EFX25

Flow: 6 - 120 lit/min
Connection: DN20 /DN25



Flush-mounted control for
body shower

Flow: 76 lit/min
Connection: DN25

822 9680



Flush-mounted eye wash and
control for body shower

Flow: 76 lit/min
Connection: DN25

822 3599

For other showers and accessories, and further information, visit:

www.giapremix.ch

Outdoor Emergency Shower Cabins

Outdoor emergency cabins, insulated and heated

Ideal when away from buildings, such as remote industrial sites or chemical storage or processing sites.
Can be fitted with all GIA-Premix showers.
With or without water tank. Also available EX.
For a proposal or further information, please contact us.



Outdoor combined emergency shower, insulated and heated

With warm water tank 500 lit.
Electrical power: 3 KW, 400V

Water connection : 28 mm



EyeSpray First Aid Emergency Eyewash



EYESPRAY®

First aid emergency eyewash
Simple, safe and efficient

- No connection to water main
- Sterile saline buffer solution
- Rinsing time 15 minutes
- Stainless steel
- ANSI Z358.1-2009 compliant
- Also available freeze proof

www.eyespray.ch



You will find all our other emergency showers and accessories on www.giapremix.ch